



LedKoning

BUIGBARE LEDSTRIP HELDER WIT

60
LEDS P/M



Helder wit






SPECIFICATIES

Dimbaar	Ja
3M plakstrip over gehele lengte	Ja
Garantie	2 jaar
Op maat te knippen	elke 5 cm
Aantal LED's p/m	60
Type LED	2835 SMD
Merk LED	Epistar
Stralingshoek	120 graden
Kleur	Helder wit
Kleurtemperatuur (Kelvin)	4000K
CRI	90.5
Lichtsterkte (lumen) p/m	711.5 lm
Aantal branduren	50.000
Voltage (DC)	24V
Watt - vermogen p/m	8.473W
Bescherming	IP20
Materiaal waterdichte bescherming (IP65/IP67)	-
Achtergrond kleur strip (PCB)	Wit
Plakstrip	IP20: 3M 300LSE
Breedte led strip	IP20: 8mm
Dikte led strip	IP20: 1,2mm
Aansluiting begin	5.5x2.1 DC stekker type vrouw
Aansluiting einde	5.5x2.1 DC stekker type man

TECHNISCHE TEKENINGEN

IP20




IP20





1M HELDER WIT BUIGBAAR - 60 LEDS P/M

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3693$ $y=0.3629$ $u'=0.2232$ $v'=0.4936$
 CCT=4224K (Duv=-0.0032) Dominant WL:Ld =580.5nm Purity=19.7%
 Ratio:R=19.4% G=76.3% B=4.3% Peak WL:Lp=450.9nm FWHM=22.8nm
 Render Index:Ra=93.6 CRI=90.5

R1 =95 R2 =96 R3 =93 R4 =94 R5 =93 R6 =91 R7 =95
 R8 =91 R9 =76 R10=87 R11=93 R12=70 R13=95 R14=96 R15=95

Photo Parameters:

Flux = 711.5 lm Eff. : 83.97 lm/W Fe = 2.513 W

Electrical parameters:

V = 12.000 V I = 0.7061 A P = 8.473 W PF = 1.000
 LEVEL:OUT WHITE:ANSI_4000K

Status: Integral T = 215 ms Ip = 46556 (71%)

Model:S型2835-60-4000K-20-12-8 Number:4000K-1M
 Tester: Date:2020-12-22 20:40:28
 Temperature:Deg Humidity:%
 Manufacturer:RYKER LIGHTING Remarks:---



CE CERTIFICAAT

AN XIN TESTING CERTIFICATION

Certificate of Conformity



Certification No. : ATT20111100456E
Applicant : Ledkoning
Address : Rietveldenweg 49D
 5222AP 's Hertogenbosch, The Netherlands
Manufacturer : Ledkoning
Address : Rietveldenweg 49D
 5222AP 's Hertogenbosch, The Netherlands
Certification : CE-EMC
Product Description : 2835 LED Strip
 27KCC60-10M2420,27KCC60-10M2465,27KCC60-15M2420,27KCC60-15M2465,27KCC60-20M2420,27KCC60-20M2465,
 27KCC60-30M2420,27KCC60-30M2465,27KCC120-10M2420,27KCC120-10M2465,27KCC120-15M2420,27KCC120-15M2465
 30KCC60-10M2420,30KCC60-10M2465,30KCC60-15M2420,30KCC60-15M2465,30KCC60-20M2420,30KCC60-20M2465
Model : 30KCC60-30M2420,30KCC60-30M2465,30KCC120-10M2420,30KCC120-10M2465,30KCC120-15M2420,30KCC120-15M2465
 40KCC60-10M2420,40KCC60-10M2465,40KCC60-15M2420,40KCC60-15M2465,40KCC60-20M2420,40KCC60-20M2465
 40KCC60-30M2420,40KCC60-30M2465,40KCC120-10M2420,40KCC120-10M2465,40KCC120-15M2420,40KCC120-15M2465
 BB27K-05M1220,BB30K-05M1220,BB40K-05M1220,BB65K-05M1220
Trademark : N/A

The above products have been tested by us with listed standards and found in compliance with the Directive 2014/35/EU. It is possible to use CE marking to demonstrate the compliance with this Directive.

Test Standards	EN 55015: 2019 EN 61547: 2019 EN 61000-3-2: 2019 EN 61000-3-3: 2013+A1:2019
----------------	--------------------------------------------------------------------------------------

The certificate is based on a single evaluation of tested samples of above-mentioned product. It does not imply an assessment of the whole production and does not permit the use of the test laboratory logo.



Authorized Signer:



Shenzhen An-Xin Testing Service Co., Ltd.

Room 402-405, Floor 4th, Building C, Yuxing Technology Industrial Park, Xixiang Street, Bao'an District, Shenzhen, Guangdong, China
 ☎ 86-0755-23009643 📠 86-0755-23009643 🌐 <http://www.anxinlab.com/>

Adres: Rietveldenweg 49D, 5222AP 's Hertogenbosch
 Tel: +3173 704 1100
 E-mail: info@ledkoning.nl
 Website: www.ledkoning.nl