



LedKoning

# Kweek en groei LED STRIP

60  
LEDS P/M



**Rood en blauw**






## SPECIFICATIES


Dimbaar	Ja		
3M plakstrip over gehele lengte	Ja		
Garantie	2 jaar		
Op maat te knippen	Elke 10 cm		
Aantal LED's p/m	60		
Type LED	5050 SMD		
Stralingshoek	120 graden		
Kleur	Rood en Blauw		
Kleurtemperatuur (Kelvin)	-		
CRI	-		
Lichtsterkte (lumen) p/m	150		
Aantal branduren	50.000		
Voltage (DC)	24V		
Watt - vermogen p/m	13W		
Lumen per Watt	11,5		
Watt per LED	0,2		
Bescherming	IP20, IP65 of IP67		
Materiaal waterdichte bescherming (IP65/IP67)	Siliconen		
Achtergrond kleur strip (PCB)	Wit		
Plakstrip	IP20: 3M 300LSE	IP65: 3M VHB	P67: 3M VHB
Breedte led strip	IP20: 10mm	IP65: 12mm	IP67: 12mm
Dikte led strip	IP20: 3mm	IP65: 5mm	IP67: 5mm
Aansluiting begin	5.5x2.1 DC stekker type vrouw		
Aansluiting einde	5.5x2.1 DC stekker type man		

# TECHNISCHE TEKENINGEN

IP20



IP65/67



IP20



IP65




IP67





# 1M COB HELDER WIT - 384 LEDS P/M



**Color Parameters:**

Chromaticity Coordinate:x=0.3128 y=0.0991/u'=0.3511 v'=0.2503  
 CCT=100000K(Duv=-0.1972) Dominant WL:Ld =-558.2nm Purity=77.1%  
 Ratio:R=79.4% G=3.1% B=17.5% Peak WL:Lp=659.5nm FWHM=18.7nm  
 Render Index:Ra=0.0 CRI=0.0

R1 =0    R2 =0    R3 =0    R4 =0    R5 =0    R6 =0    R7 =0  
 R8 =0    R9 =0    R10=0    R11=0    R12=0    R13=0    R14=0    R15=0

**Photo Parameters:**

Flux = 150.7 lm    Eff. : 11.29 lm/W    Fe = 2.606 W

**Electrical parameters:**

V = 23.997 V    I = 0.5561 A    P = 13.34 W PF = 1.000  
 LEVEL:OUT    WHITE:OUT



# CE CERTIFICAAT

AN XIN TESTING CERTIFICATION

## Certificate of Conformity



**Certification No.** : AXJC202101090009E  
**Applicant** : Ledkoning  
**Address** : Rietveldenweg 49D 5222AP 's Hertogenbosch, The Netherlands  
**Manufacturer** : Ledkoning  
**Address** : Rietveldenweg 49D 5222AP 's Hertogenbosch, The Netherlands  
**Certification** : CE-EMC  
**Product** : LED Strip  
**Description** :  
**Model** : GWRB51-05M2420, GWRB51-05M2465, GWRW21-05M2420, GWRW21-05M2465, D2W2216-05M2420, D2W2216-05M2465  
**Trademark** : N/A

The above products have been tested by us with listed standards and found in compliance with the Directive 2014/35/EU. It is possible to use CE marking to demonstrate the compliance with this Directive.

<b>Test Standards</b>	<b>EN 55015: 2019</b>
	<b>EN 61547: 2009</b>
	<b>EN 61000-3-2:2019</b>
	<b>EN 61000-3-3: 2013+A1:2019</b>

The certificate is based on a single evaluation of tested samples of above-mentioned product. It does not imply an assessment of the whole production and does not permit the use of the test laboratory logo.

ANXIN TESTING



Authorized Signer:



Shenzhen An-Xin Testing Service Co., Ltd.

Room 402-405, Floor 4th, Building C, Yuxing Technology Industrial Park, Xixiang Street, Bao'an District, Shenzhen, Guangdong, China  
 ☎ 86-0755-23009643 📠 86-0755-23009643 🌐 <http://www.anxinlab.com/>

**Adres:** Rietveldenweg 49D, 5222AP 's Hertogenbosch  
**Tel:** +3173 704 1100  
**E-mail:** info@ledkoning.nl  
**Website:** www.ledkoning.nl