



LedKoning

Kweek en groei LED STRIP

60
LEDS P/M



Rood, blauw en Wit






SPECIFICATIES


| | | | |
|---|-------------------------------|--------------|-------------|
| Dimbaar | Ja | | |
| 3M plakstrip over gehele lengte | Ja | | |
| Garantie | 2 jaar | | |
| Op maat te knippen | Elke 10 cm | | |
| Aantal LED's p/m | 60 | | |
| Type LED | 5050 SMD | | |
| Stralingshoek | 120 graden | | |
| Kleur | Rood, Blauw en Wit | | |
| Kleurtemperatuur (Kelvin) | - | | |
| CRI | 10.2 | | |
| Lichtsterkte (lumen) p/m | 278.2 | | |
| Aantal branduren | 50.000 | | |
| Voltage (DC) | 24V | | |
| Watt - vermogen p/m | 12W | | |
| Lumen per Watt | 23 | | |
| Watt per LED | 0,2 | | |
| Bescherming | IP20, IP65 of IP67 | | |
| Materiaal waterdichte bescherming (IP65/IP67) | Siliconen | | |
| Achtergrond kleur strip (PCB) | Wit | | |
| Plakstrip | IP20: 3M 300LSE | IP65: 3M VHB | P67: 3M VHB |
| Breedte led strip | IP20: 10mm | IP65: 12mm | IP67: 12mm |
| Dikte led strip | IP20: 3mm | IP65: 5mm | IP67: 5mm |
| Aansluiting begin | 5.5x2.1 DC stekker type vrouw | | |
| Aansluiting einde | 5.5x2.1 DC stekker type man | | |

TECHNISCHE TEKENINGEN

IP20



IP65/67



IP20



IP65




IP67





1M COB HELDER WIT - 384 LEDS P/M



Color Parameters:

Chromaticity Coordinate: $x=0.3115$ $y=0.1560$ / $u'=0.2933$ $v'=0.3304$
 CCT=100000K (Duv=-0.1215) Dominant WL:Ld =-559.5nm Purity=60.2%
 Ratio:R=44.7% G=43.9% B=11.4% Peak WL:Lp=658.2nm FWHM=18.5nm
 Render Index:Ra=10.3 CRI=10.2

R1 =0 R2 =0 R3 =61 R4 =0 R5 =0 R6 =0 R7 =22
 R8 =0 R9 =0 R10=0 R11=0 R12=0 R13=0 R14=61 R15=0

Photo Parameters:

Flux = 278.2 lm Eff. : 22.51 lm/W Fe = 2.710 W

Electrical parameters:

V = 23.997 V I = 0.5150 A P = 12.36 W PF = 1.000
 LEVEL:OUT WHITE:OUT



CE CERTIFICAAT

AN XIN TESTING CERTIFICATION

Certificate of Conformity



Certification No. : AXJC202101090009E
Applicant : Ledkoning
Address : Rietveldenweg 49D 5222AP 's Hertogenbosch, The Netherlands
Manufacturer : Ledkoning
Address : Rietveldenweg 49D 5222AP 's Hertogenbosch, The Netherlands
Certification : CE-EMC
Product : LED Strip
Description :
Model : GWRB51-05M2420, GWRB51-05M2465, GWRW21-05M2420, GWRW21-05M2465, D2W2216-05M2420, D2W2216-05M2465
Trademark : N/A

The above products have been tested by us with listed standards and found in compliance with the Directive 2014/35/EU. It is possible to use CE marking to demonstrate the compliance with this Directive.

| | |
|-----------------------|-----------------------------------|
| Test Standards | EN 55015: 2019 |
| | EN 61547: 2009 |
| | EN 61000-3-2:2019 |
| | EN 61000-3-3: 2013+A1:2019 |

The certificate is based on a single evaluation of tested samples of above-mentioned product. It does not imply an assessment of the whole production and does not permit the use of the test laboratory logo.

ANXIN TESTING



Authorized Signer:



Shenzhen An-Xin Testing Service Co., Ltd.

Room 402-405, Floor 4th, Building C, Yuxing Technology Industrial Park, Xixiang Street, Bao'an District, Shenzhen, Guangdong, China
 ☎ 86-0755-23009643 📠 86-0755-23009643 🌐 <http://www.anxinlab.com/>

Adres: Rietveldenweg 49D, 5222AP 's Hertogenbosch
Tel: +3173 704 1100
E-mail: info@ledkoning.nl
Website: www.ledkoning.nl