



LedKoning

WARM WIT PRO LED STRIP



LEDs
p/m
240

Lumen
p/m
1657

Watt
p/m
16,78

2700K

120°

Dimbaar

5
Jaar

CE

SPECIFICATIES

Algemene kenmerken

Dimbaar	Ja
3M plakstrip over gehele lengte	Ja
Garantie	5 jaar
Op maat te knippen	2,5 cm

LED's en licht

Aantal LED's p/m	240 leds/m
Type LED	2216 SMD
Merk LED	Epistar
Stralingshoek	120°
Kleur	Warm wit
Kleurtemperatuur (Kelvin)	2700K
CRI	>90
Aantal branduren	50.000


Technische specificaties

Lichtsterkte (lumen) p/m	1657 lm
Voltage (DC)	24V
Watt - vermogen p/m	16,78W
Lumen per watt	98,75
Watt per LED	0,070W

Strip eigenschappen


Bescherming	IP20, IP65 of IP67		
Materiaal waterdichte bescherming (IP65/IP67)	Siliconen		
Achtergrond kleur strip (PCB)	Wit		
Plakstrip	IP20: 3M 300LSE	IP65: 3M VHB	IP67: 3M VHB
Breedte led strip	IP20: 8mm	IP65: 10mm	IP67: 10mm
Dikte led strip	IP20: 1,14mm	IP65: 5,42mm	IP67: 5,42mm
Aansluiting begin	5.5x2.1 DC stekker type vrouw		
Aansluiting einde	5.5x2.1 DC stekker type man		

TECHNISCHE TEKENINGEN




3M 300LSE Tape

8 mm



IP20 24V



3M VHB Tape

10 mm



IP65/67 24V

DETAILFOTO

IP20



IP65



IP67




SPECTRUM TESTRAPPORTEN



EVERFINE HAAS-1200 Test Report

1 Of 1

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: x=0.4531 y=0.4043/u'=0.2610 v'=0.5239

CCT=2747K(Duv=-0.0018) Dominant WL:Ld =584.6nm Purity=57.4%

Ratio:R=26.2% G=71.0% B=2.8% Peak WL:Lp=620.8nm FWHM=143.6nm

Render Index:Ra=92.6 AvgR=90.3

R1 =94	R2 =99	R3 =97	R4 =92	R5 =94	R6 =96	R7 =89
R8 =80	R9 =58	R10=96	R11=93	R12=83	R13=95	R14=100 R15=89

Photo Parameters:

Flux = 1657 lm Eff. : 98.63 lm/W Fe = 5.885 W

Electrical parameters:

V = 23.997 V I = 0.7001 A P = 16.80 W PF = 1.000

LEVEL:OUT WHITE:ANSI_2700K

Status: Integral T = 125 ms Ip = 48933 (75%)

Model:WWLS240-01M2420
Tester:
Temperature:Deg
Manufacturer:

Number:2
Date:2026-07-08 15:36:29
Humidity:%
Remarks:

CE CERTIFICAAT

WWW.ANTENGLAB.COM
Tel:86-755-27724522
Fax:86-755-27724533

ATT
AN TENG TESTING

Certificate of Conformity

Certification No. : ATT11803060089S
Applicant : LedKoning B.V.
Address : Kasteleinenkampweg 11a, DEN BOSCH, The Netherlands.
Manufacturer : LedKoning B.V.
Address : Kasteleinenkampweg 11a, DEN BOSCH, The Netherlands.
Certification Marking : CE-LVD
Product Description : LED Strip

Model

WWLS120-01M1220;WWLS120-02M1220;WWLS120-03M1220;WWLS120-04M1220;WWLS120-05M1220;WWLS120-01M1265;WWLS120-02M1265;WWLS120-03M1265;WWLS120-04M1265;WWLS120-05M1265;WWLS120-01M2420;WWLS120-02M2420;WWLS120-03M2420;WWLS120-04M2420;WWLS120-05M2420;WWLS120-01M2465;WWLS120-02M2465;WWLS120-03M2465;WWLS120-04M2465;WWLS120-05M2465;WWLS60-01M1220;WWLS60-02M1220;WWLS60-03M1220;WWLS60-04M1220;WWLS60-05M1220;WWLS60-01M1265;WWLS60-02M1265;WWLS60-03M1265;WWLS60-04M1265;WWLS60-05M1265;WWLS60-01M2420;WWLS60-02M2420;WWLS60-03M2420;WWLS60-04M2420;WWLS60-05M2420;WWLS60-01M2465;WWLS60-02M2465;WWLS60-03M2465;WWLS60-04M2465;WWLS60-05M2465;KWLS120-01M1220;KWLS120-02M1220;KWLS120-03M1220;KWLS120-04M1220;KWLS120-05M1220;KWLS120-01M1265;KWLS120-02M1265;KWLS120-03M1265;KWLS120-04M1265;KWLS120-05M1265;KWLS120-01M2420;KWLS120-02M2420;KWLS120-03M2420;KWLS120-04M2420;KWLS120-05M2420;KWLS120-01M2465;KWLS120-02M2465;KWLS120-03M2465;KWLS120-04M2465;KWLS120-05M2465;KWLS60-01M1220;KWLS60-02M1220;KWLS60-03M1220;KWLS60-04M1220;KWLS60-05M1220;KWLS60-01M1265;KWLS60-02M1265;KWLS60-03M1265;KWLS60-04M1265;KWLS60-05M1265;KWLS60-01M2420;KWLS60-02M2420;KWLS60-03M2420;KWLS60-04M2420;KWLS60-05M2420;KWLS60-01M2465;KWLS60-02M2465;KWLS60-03M2465;KWLS60-04M2465;

Shenzhen An-Teng Testing Service Co., Ltd.
Room715-722, Huafeng Yu'an Business Building, Yu'an 1st Road, Bao'an District, Shenzhen, Guangdong, China.

CE CERTIFICAAT

WWW.ANTENGLAB.COM
Tel: 86-755-27724522
Fax: 86-755-27724533

ATT
AN TENG TESTING

Certificate of Conformity

Certification No. : ATT31811210447E
Applicant : LedKoning B.V.
Address : Kasteleinenkampweg 11a, DEN BOSCH, The Netherlands.
Manufacturer : LedKoning B.V.
Address : Kasteleinenkampweg 11a, DEN BOSCH, The Netherlands.
Certification Marking : CE-EMC
Product Description : 2216 LED Strip
Model : WWLS240-01M2420, WWLS240-01M2465, WWLS240-02M2420, WWLS240-02M2465, WWLS240-03M2420, WWLS240-03M2465, WWLS240-04M2420, WWLS240-04M2465, WWLS240-05M2420, WWLS240-05M2465, HWLS240-01M2420, HWLS240-01M2465, HWLS240-02M2420, HWLS240-02M2465, HWLS240-03M2420, HWLS240-03M2465, HWLS240-04M2420, HWLS240-04M2465, HWLS240-05M2420, HWLS240-05M2465, KWLS240-01M2420, KWLS240-01M2465, KWLS240-02M2420, KWLS240-02M2465, KWLS240-03M2420, KWLS240-03M2465, KWLS240-04M2420, KWLS240-04M2465, KWLS240-05M2420, KWLS240-05M2465
Trademark : N/A
Sufficient samples of the product have been tested and found to be in conformity with

Test Standards	
	EN 55015: 2013+A1:2015
	EN 61547:2009
	EN 61000-3-2:2014
	EN 61000-3-3:2013

When tested as specified, the submitted sample complies with EMC Directives 2014/30/EU
The certificate is based on a single evaluation of one sample of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test laboratory logo.

CE

Authorized Signer: 
Joseph Yang / Manager
November 27, 2018

Shenzhen An-Teng Testing Service Co., Ltd
Room 402-405, Floor 4th, Building C, Yuxing Technology Industrial Park, Xixiang Street, Bao 'An District, Shenzhen, Guangdong, China


LedKoning

Rietveldenweg 49D
5222AP Den Bosch
Niederlande/Nederland
info@ledkoning.nl
+31 73 704 11 00